

| Resistencia al fuego | Opción 1 | Opción 2 | Opción 3 | Opción 4 | Anchura mínima (2)<br>del alma bo, mín |
|----------------------|----------|----------|----------|----------|----------------------------------------|
| REI 30               | 80/20    | 120/15   | 200/10   |          | 80                                     |
| REI 60               | 100/30   | 150/25   | 200/20   |          | 100                                    |
| REI 90               | 150/40   | 200/35   | 250/30   | 400/25   | 100                                    |
| REI 120              | 200/50   | 250/45   | 300/40   | 500/35   | 120                                    |
| REI 180              | 300/75   | 350/65   | 400/60   | 600/50   | 140                                    |

Tabla (6) espesor mortero de perlita

| Espesor equivalente<br>hormigón | Espesor de mortero de perlita<br>(11mm) |
|---------------------------------|-----------------------------------------|
|                                 |                                         |
| 90                              | 61                                      |
| 120                             | 59                                      |
| 180                             | 63                                      |