

Variable Flow Pumps



Tel.: (+34) 902 450 160
Fax: (+34) 902 433 088
ermec@ermec.com
www.ermec.com



New!

#300 Series Gear Pumps

- ▶ Maximum flow rate 420 ml/min
- ▶ Compact & light
- ▶ Self-priming
- ▶ Reversible
- ▶ Adjustable speed

Applications:

- ▶ coffee machines
- ▶ beverage dispensing



Johnson Electric's new #300 series gear pump offers high precision and variable flow control capability to suit the wide range of requirements for liquid pump dispensing. Our products are designed, built, tested, packaged, and shipped to your exact specifications.

We appreciate the opportunity to collaboratively work with your design teams early in the development cycle of the application. We can respond to requirements quickly by networking our know-how across the global Johnson Electric organization and at the same time providing local support to increase efficiency, reduce costs and to streamline application development cycles. Contact us today!

Asia

6-22 Dai Shun St.
Tai Po Industrial Estate
New Territories, Hong Kong
T +852 2663 6541
F +852 2663 6112

Europe

Via Cadamosto 3
20094 Corsico, Milano
Italy
T +39 2 4869 21
F +39 2 4860 0692

North America

10 Progress Drive
Shelton, CT 06484
USA
T +1 203 4475362
F +1 203 4475383

E-mail: commercialsales@johnsonelectric.com

website: www.johnsonelectric.com



switches



solenoids



motors



innovating motion

Technical

#300 Series Gear Pumps

Max Flow Rate	420 ml/min
Max Discharge Pressure	18 PSI (1.3 Bar)
Media Temperature	10 - 60 °C
Inlet / Outlet Port OD	4 mm
Weight	75 g
Dimensions (l x w x h)	28 x 28 x 62 mm
Input Power	3 - 15 W
Supply	LDVC (12V)
Media Type	liquids, water, high viscosity fluids
Other Features	adjustable speed reversible sanitary self-priming
Optional Feature	thermal overload protection

