

This is to certify

KAC ALARM COMPANY LIMITED

15-19 Trescott Road, Trafford Park, Smallwood, Redditch, Worcestershire, B98 7AH

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix.

KAC World Series, MCP545, MCP 1-7 and WCP 1-7
Series manual call points

(refer to attached appendix for details)

which have complied with the requirements of the following:

EN 54-11: 2001 - Fire detection and fire alarm systems - Manual Call Points

Certificate No. 166b

Issue No. 11

Date of Issue 06 August 2007

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB





Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



APPENDIX TO CERTIFICATE NO. 166b

KAC ALARM COMPANY LIMITED

Products	LPCB Ref. No.
WR2001 Indoor manual call point, flush mounted (single pole changeover).	166b/01
WR2012 Indoor manual call point, flush mounted.	166b/02
WR2004 Indoor manual call point, flush mounted.	166b/03
WR2061 Indoor manual call point, flush mounted.	166b/04
WR2072 Indoor manual call point, flush mounted.	166b/05
WR2101 Indoor manual call point, flush mounted.	166b/06
WR3001 Indoor manual call point, flush mounted (single pole changeover).	166b/07
WR3101 Indoor manual call point, flush mounted.	166b/08
WR3061 Indoor manual call point, flush mounted.	166b/09
WR3072 Indoor manual call point, flush mounted.	166b/10
WR3631 Indoor manual call point, flush mounted.	166b/11
WR4001 Outdoor manual call point, (single pole changeover).	166b/12
WR4061 R1-R2 (2.5W resistors) Outdoor manual call point.	166b/13
WR4061 Outdoor manual call point with LED and series and shunt resistors.	166b/14
WR4031 Outdoor manual call point.	166b/15
WR4072 Outdoor manual call point with series monitoring resistor.	166b/16
WR7/2001 Rainproof manual call point (single pole change over, surface mounted).	166b/25
WR7/2004 Rainproof manual call point with series monitoring resistor, surface mounted.	166b/26
WR7/2012 Rainproof manual call point with two series monitoring resistors, surface mounted.	166b/27
WR7/2061 Rainproof manual call point (series monitoring resistors & LED) surface mounted.	166b/28
WR7/2072 Rainproof manual call point with series monitoring resistor, surface mounted.	166b/29
WR7/2101 Rainproof manual call point, surface mounted.	166b/30
WR7/3001 Rainproof manual call point single pole changeover.	166b/31
WR7/3061 Rainproof manual call point with LED and series and shunt resistors, surface mounted.	166b/32
WR7/3072 Rainproof manual call point with series monitoring resistor, surface mounted.	166b/33
WR7/3101 Rainproof manual call point, surface mounted.	166b/34

For details of Cross-Listed products and alternative branding please see pages 6 to 7.

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 2 of 7

Date of Issue 06 August 2007

Issue No. 11

Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



APPENDIX TO CERTIFICATE NO. 166b

KAC ALARM COMPANY LIMITED

Products		LPCB Ref. No.
MCP545-1 MCP545-2 MCP545-3 MCP545-4	Indoor surface mounting addressable manual call point Indoor flush mounting addressable manual call point Outdoor surface mounting addressable manual call point Outdoor surface mounting addressable manual call point	166b/35 166b/36 166b/37 166b/38
2. xxx S > 3. xxxx C 4. The N	Indoor/Outdoor surface/flush mounting conventional call point indicates the series resistor value. 039xx (lowest 39 Ω), 4K7xx (highest 4. (Surface mounted) xxxFx (Flush mounted) G (Glass element) xxxxF (Flexible element) MCP1-2 Series manual call points LPCB Ref. No. 166b/39-166b/42 are applywell ZM10E50A01, Otehall 294/20/150/G and Burgess X4G310K1BBAQ)	roved with three micro-switches
MCP5A-RP03xx MCP7A-RC01xx MCP7B-RC01xx	Indoor/Outdoor surface/flush mounting conventional call point Indoor/Outdoor surface/flush mounting conventional call point Indoor/Outdoor surface/flush mounting addressable call point (System Sensor 500 series protocol) Indoor/Outdoor surface/flush mounting addressable call point (Honeywell 500 series protocol) Indoor/Outdoor surface/flush mounting conventional call point	166b/43 166b/44 166b/45 166b/47 166b/49 166b/50

3. The MCP3-7 Series manual call points LPCB Ref. No. 166b/43-166b/50 are approved with three micro-switches (Honeywell ZM10E50A01, Otehall 294/20/150/G and Burgess X4G310K1BBAQ)

For details of Cross-Listed products and alternative branding please see pages 6 to 7.

This certificate is valid until withdrawn by LPCB. To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 3 of 7

Date of Issue 06 August 2007

Issue No. 11

Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100 Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



APPENDIX TO CERTIFICATE NO. 166b

KAC ALARM COMPANY LIMITED

Products	LPCB Ref. No.
WCP1A-RxxxSx Outdoor surface mounting conventional waterproof call point WCP1B-RxxxSx Outdoor surface mounting conventional waterproof call point WCP2A-RxxxSx Outdoor surface mounting conventional waterproof call point WCP2B-RxxxSx Outdoor surface mounting conventional waterproof call point Notes: 1. xxxSx indicates the series resistor value. 039Sx (lowest 39 Ω), 4K7Sx (highest 4.7 kΩ 2. xxxSG (Glass element) xxxSF (Flexible element) 3. The WCP1-2 Series waterproof manual call points LPCB Ref. No. 166b/51-166b/54 a micro switch ZW10F90AW1	
WCP3A-R000Sx Outdoor surface mounting conventional waterproof call point WCP4A-R000Sx Outdoor surface mounting conventional waterproof call point WCP5A-RP01Sx Outdoor surface mounting addressable waterproof call point (System Sensor 500 series protocol)	166b/55 166b/56 166b/57
WCP5A-RP03Sx Outdoor surface mounting addressable waterproof call point (Honeywell 500 series protocol) WCP7A-RC01Sx Outdoor surface mounting conventional waterproof call point WCP7B-RC01Sx Outdoor surface mounting conventional waterproof call point Notes: 1. G (Glass element) F (Flexible element) 2. The WCP3-7 Series waterproof manual call points LPCB Ref. No. 166b/55-166b/62 a.	166b/59 166b/61 166b/62 re approved with Honeywell
micro switch ZW10F90AW1 MCP5A-RP11xx Indoor surface/flush mounting addressable call point (Advanced System Sensor protocol) Notes: 1. Sx (Surface mounted) Fx (Flush mounted) 2. xG (Glass element) xF (Flexible element) 3. The manual call point is approved with three micro-switches (Honeywell ZM10E50A01, Otehall 294/20/150/G and Burgess X4G310K1BBAQ)	166b/63
WCP5A-RP11Sx Outdoor surface mounting addressable call point (Advanced System Sensor protocol) Notes: 1. G (Glass element) F (Flexible element) 2. The manual call point is approved with Honeywell micro switch ZW10F90AW1	166b/64
	Continued

For details of Cross-Listed products and alternative branding please see pages 6 to 7.

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 4 of 7

Date of Issue 06 August 2007

Issue No. 11

Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com
This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



APPENDIX TO CERTIFICATE NO. 166b

KAC ALARM COMPANY LIMITED

Accessories:

Surface mounting plastic box(1) SR

Surface mounting plastic box c/w 1 terminal(1) SR1T Surface mounting plastic box c/w 2 terminals⁽¹⁾ SR2T Surface mounting plastic box c/w 3 terminals(1) SR3T Surface mounting plastic box c/w 4 terminals(1) SR4T

Surface mounting metal box(1) MR

European Terminal Tray ETT1, 2 & 3(1) ETT

Earth Continuity Link⁽¹⁾
Bazel Type 1⁽¹⁾
Bazel Type 2⁽¹⁾
Bazel Type 3⁽¹⁾
Bazel Type 3⁽¹⁾ BZR/1 BZR/2 BZR/3 Spacer Piece(1) M141

Pattress PTR, PTRE, PTR2T, PTR2TE, PTR3T & PTR3TE(1) PTR

Hinged Cover⁽¹⁾ C

Notes: 1. The above accessories are only supplied with MCP/WCP1-7 Series manual call points LPCB Ref. No. 166b/39-166b/64

For details of Cross-Listed products and alternative branding please see pages 6 to 7.

This certificate is valid until withdrawn by LPCB. To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 5 of 7

Date of Issue 06 August 2007

Issue No. 11

Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100 Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



APPENDIX TO CERTIFICATE NO. 166b

KAC ALARM COMPANY LIMITED

LPCB Ref. No.	Model No.	Alternative Model No.	Labelled
166b/07	WR3001	MT320C	Siemens
166b/11	WR3631	DM1101	Siemens
166b/35	MCP545-1	MCP545-1 MCP545-1	Securiton Schrack
166b/36	MCP545-2	MCP545 MCP54 <mark>5-</mark> 2	Securiton Schrack
166b/37	MCP545-3	MCP545-3	Schrack
166b/38	MCP545-4	MCP545-4	Schrack
166b/39	MCP1A-Rxxxxx	MUS1A-Rxxxxx MCP1A-Rxxxxx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166b/40	MCP1B-Rxxxxx	MUS1B-Rxxxxx MCP1B-Rxxxxx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166b/41	MCP2A-Rxxxxx	MUS2A-Rxxxxx MCP2A-Rxxxxx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166b/41	MCP2A-R470FG MCP2A-R039FG	MCP200 MCP210 MCP250M	Tyco Electronic Product Group Tyco Electronic Product Group Tyco Electronic Product Group
166b/42	MCP2B-Rxxxxx	MUS2B-Rxxxxx MCP2B-Rxxxxx-01IS	KAC Ala <mark>rm</mark> Company Ltd KAC Alarm Company Ltd

For details of Cross-Listed products and alternative branding please see pages 6 to 7.

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 6 of 7

Date of Issue 06 August 2007

Issue No. 11

Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100 Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



APPENDIX TO CERTIFICATE NO. 166b

KAC ALARM COMPANY LIMITED

LPCB Ref. No.	Model No.	Alternative Model No.	Labelled
166b/43	MCP3A-R000xx	MUS3A-R000xx MCP3A-R000xx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166b/44	MCP4A-R000xx	MUS4A-R000xx MCP4A-R000xx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166b/45	MCP5A-RP01xx	MUS5A-RP01xx M700KAC-xx	KAC Alarm Company Ltd Notifier Fire Systems
166b/47	MCP5A-RP03xx	MUS5A-RP03xx MI-MCP-xxxx	KAC Alarm Company Ltd Morley-IAS Fires Systems
166b/49	MCP7A-RC01xx	MUS7A-RC01xx MCP7A-RC01xx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166b/50	MCP7B-RC01xx	MUS7B-RC01xx MCP7B-RC01xx-01IS	KAC Alarm Company Ltd KAC Alarm Company Ltd
166 <mark>b/5</mark> 3	WCP2A-R470SG	MCP230 MCP260M	Tyco Electronic Product Group Tyco Electronic Product Group
166b/63	MCP5A-RP11xx	MCP5A-RP11xx	System Sensor
166b/64	WCP5A-RP11Sx	WCP5A-RP11Sx	System Sensor
166 166	SR3T-P mounting box SR3T-P mounting box	MTA320 mounting box DMZ1191 mounting box	Sie <mark>mens</mark> Siemens

For details of Cross-Listed products and alternative branding please see pages 6 to 7.

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 7 of 7

Date of Issue 06 August 2007

Issue No. 11

Name: P STEVENS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com
This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.